


Substitute for form 1449A/PTO

INFORMATION DISCLOSURE

STATEMENT BY APPLICANT

(use as many sheets as necessary)



COMPLETE IF KNOWN

Application Number 09/831,765
Filing Date May 11, 2001
First Named Inventor Qingyun Liu et al.
Group Art Unit
Examiner Name
Attorney Docket Number 20351P

RECEIVED

APR 05 2002

Sheet 2 of 3

OTHER NON PATENT LITERATURE DOCUMENTS

TECH CENTER 1600/2900

Examiner Initials*	Cite No.	Include name of the author, title, date, page(s), volume-issue number(s) and place of publication.
		Han, M. et al., The C9 methyl group of retinal interacts with glycine-121 in rhodopsin, Proc. Natl. Acad. Sci. USA, Vol. 94, pps 13442-13447, 1997.
		Lee, N.H. et al., Molecular biology of G-protein-coupled receptors, DN&P, Vol. 6, No. 7, pps 488-497, 1993.
		Hodgson, J., Receptor screening and the search for new pharmaceuticals, Bio/Technology, Vol. 10, pps 973-980, 1992.
		Strader, C.D. et al., Structure and function of G protein-coupled receptors, Annu. Rev. Biochem., Vol. 63, pps 101-132, 1994.
		Amatruda III, T.T. et al., Specific interactions of chemoattractant factor receptors with G-proteins, J. of Biological Chemistry, Vol. 268, No. 14, pps 10139-10144, 1993.
		Cascieri, M.A. et al., Determination of the amino acid residues in substance P conferring selectivity and specificity for the rat neurokinin receptors, Molecular Pharmacology, Vol. 41, pps 1096-1099, 1992.
		Chen, W. et al., A colorimetric assay for measuring activation of Gs- and Gq-coupled signaling pathways, Analytical Biochemistry, Vol. 226, pps 349-354, 1995.
		Dohlman, H.G. et al., Model systems for the study of seven-transmembrane-segment receptors, Annu. Rev. Biochem., Vol. 60, pps 653-688, 1991.
		Graminski, G.F. et al., Pigment dispersion in frog melanophores can be induced by a phorbol ester or stimulation of a recombinant receptor that activates phospholipase C, J. of Biological Chemistry, Vol. 268, No. 8, pps 5957-5964, 1993.
		Hebert, T.E. et al., A peptide derived from a B2-adrenergic receptor transmembrane domain inhibits both receptor dimerization and activation, J. of Biological Chemistry, Vol. 271, No. 27, pps 16384-16392, 1996.
		Hess, J.F. et al., Cloning and pharmacological characterization of a human bradykinin (BK-2) receptor, Biochemical and Biophysical Research Communications, Vol. 184, No. 1, pps 260-268, 1992.
		Lerner, M. R., Tools for investigating functional interactions between ligands and G-protein-coupled receptors, TINS, Vol. 17, No. 4, pps 142-146, 1994.
		Liu, Q. et al., Uncoupling protein-3: a muscle-specific gene upregulated by leptin in ob/ob mice, Gene, Vol. 207, pps 1-7, 1998.
		McDonald, T. et al., Identification and cloning of an opphan G protein-coupled receptor of the glycoprotein hormone receptor subfamily, Biochemical and Biophysical Research Communications, Vol. 247, pps 266-270, 1998.
		Ng, G.Y.K. et al., Dopamine D2 receptor dimers and receptor-blocking peptides, Biochemical and Biophysical Research Communications, Vol. 227, No. 1, pps 200-204, 1996.

Examiner Signature

Date Considered

5-28-03

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609.
Draw line through citation if not in conformance and not considered.
Include copy of this form with next communication to applicant.

